

# CMSC330 - Organization of Programming Languages Spring 2024 - Final

CMSC330 Course Staff  
University of Maryland  
Department of Computer Science

Name: \_\_\_\_\_

UID: \_\_\_\_\_

*I pledge on my honor that I have not given or received any unauthorized assistance on this assignment/examination*

Signature: \_\_\_\_\_

## Ground Rules

- Please write legibly. **If we cannot read your answer you will not receive credit.**
- You may use anything on the accompanying reference sheet anywhere on this exam
- Please remove the reference sheet from the exam
- The back of the reference sheet has some scratch space on it. If you use it, you must turn in your scratch work
- You may not leave the room or hand in your exam within the last 10 minutes of the exam
- If anything is unclear, ask a proctor. If you are still confused, write down your assumptions in the margin

Question	Points
P1.	10
P2.	10
P3.	15
P4.	5
P5.	6
P6.	6
P7.	6
P8.	6
P9.	10
P10.	8
P11.	18
Total	100

## Problem 1: Concepts

[Total 10 pts]

(a) True/False

[6 pts]

	True	False
In Ocaml, an anonymous function cannot make a recursive call to itself	<input type="radio"/>	<input type="radio"/>
<code>(fun x -&gt; x + 1)</code> is alpha-equivalent to <code>(fun y -&gt; y + 1)</code>	<input type="radio"/>	<input type="radio"/>
All statements are expressions, but not all expressions are statements	<input type="radio"/>	<input type="radio"/>
A Turing machine can compute everything a Finite State Machine could compute	<input type="radio"/>	<input type="radio"/>
Security is more than just fixing bugs	<input type="radio"/>	<input type="radio"/>
Soundness implies completeness	<input type="radio"/>	<input type="radio"/>

(b) Garbage Collection

[2 pts]

Which garbage collection algorithm can successfully clean up a cyclical linked list data structure? Select all that apply.

- (A) Reference Counting
- (B) Mark and Sweep
- (C) Stop and Copy
- (D) Any garbage collection algorithm can clean it.
- (E) None of the above

(c) Type Safe

[2 pts]

Given the Following Grammar, Type Rules, and Operational Semantics, is Math-ew a type safe Language?

$M \rightarrow \text{sq } M \mid A$   
 $A \rightarrow !A \mid T$   
 $T \rightarrow \text{true} \mid \text{false} \mid H$   
 $H \rightarrow 0 \mid 1 \mid 2 \mid \dots$

Note:  $H = \mathbb{N}$

$$\begin{array}{c}
 \frac{}{G \vdash n : \text{int}} \qquad \frac{}{A; n \Rightarrow n} \\
 \\
 \frac{}{G \vdash b : \text{bool}} \qquad \frac{}{A; b \Rightarrow b} \\
 \\
 \frac{G \vdash e : \text{int} \quad \text{sq} = (\text{int}, \text{int})}{G \vdash \text{sq } e : \text{int}} \qquad \frac{A; e \Rightarrow v_1 \quad v_2 \text{ is } v_1 * v_1}{A; \text{sq } e \Rightarrow v_2} \\
 \\
 \frac{G \vdash e : \text{bool} \quad != (\text{bool}, \text{bool})}{G \vdash !e : \text{bool}} \qquad \frac{G \vdash e \Rightarrow v_1 \quad v_2 = !v_1}{A; !e \Rightarrow v_2}
 \end{array}$$

- (Y) Yes     (N) No

## Problem 2: Regex

[Total 10 pts]

If you run `ls -lh` on the command line, you get back a list of files in the current directory. Suppose `ls -lh` returned:

```
drwxrwxrwx owner1 group1 folder1
-r-xrw-r-- clyffb a330ta emails.txt
-r----- anwarm profs Grades.csv
----- owner3 none passWORDS.bin
```

Write a regex that describes each part:

(a) Directory and Permissions

[4 pts]

Each line starts with either **d** (for directory) or **-** (dash if it is not a directory). It is then followed by **read (r)**, **write (w)**, and **execute (x)** to denote the permissions of the 3 groups: the owner, group and others. The order will always be **rwX** replacing any letter with a **-** if that group does not have that permissions. For example: `drwxr-x--x` means that this is a directory for which the owner has all three permissions, the group can only read and execute and others can only execute.

**A =**

(b) Name

[2 pts]

Names begin with a **lowercase** character followed by **zero or more lowercase or numeric** characters. Write a regex that would be able to process a name that fits these specifications (you only need to write a regex to match one name, not two).

**B =**

(c) File Name

[3 pts]

File names are **at least one** character long, and can be any **alphanumeric** character, along with special characters of **dashes (-)** and **underscores(.)**.

**C =**

(d) Full Line

[1 pts]

Each part is separated by **1 or more** whitespace characters between. Follow the syntax in the example lines above and use the above parts **A**, **B**, **C** to fill in the blanks to write a regex that parses the lines outputted by `ls -lh`. Write one item (either A, B, C or the appropriate regex) in each blank so that **as a whole the regex matches a full line**. (Ex: `B a+ C`, etc.)

^

\_\_\_\_\_

\$


### Problem 3: FSM

[Total 15 pts]

(a) Convert the below NFA to a DFA.  
Draw a **box** around your final answer.

[10 pts]

Scratch Space:



(b) Write a CFG that describes strings accepted by the NFA above.

[5 pts]

## Problem 4: Typing

[Total 5 pts]

Give the type of the following expressions. If there is a type error, put "ERROR"

```
(* Ocaml *)
fun x ->
  let (a,b) = x in
  fun y ->
    let a = (a+1, b > true) in
    (a::y)
```

```
// Rust
{
  let a = if false {
    true > false;
  };
  let b = true;
  (a, b)
}
```

## Problem 5: Evaluation

[Total 6 pts]

Evaluate the following expressions. If there is a compilation error, put "ERROR"

```
(* Ocaml *)
let rec f x = match x with
  [] -> 3
  |x::xs -> List.fold_left x (f xs) [1;2;3] in

f [(fun a b -> a * b)]
```

```
// Rust
fn f1(x: i32, y: i32) -> i32 {
  x + y
}

fn f2(x: i32, y: i32) -> i32 {
  x * y
}

...
{
  let mut x = vec![3, 2, 5];
  let mut a = true;
  for i in x.iter_mut() {
    if a {
      *i = f1(*i, *i);
      a = false;
    } else {
      *i = f2(*i, *i);
      a = true;
    }
  }
  x
};
```

## Problem 6: Property Based Testing

[Total 6 pts]

Consider the following functions and type definitions:

```
type tree = Node of tree * int * tree | Leaf of int
```

```
(* this function is supposed to mirror a binary tree *)
```

```
(* it may or may not have a bug *)
```

```
let rec mirror tree = match tree with
```

```
  Leaf(x) -> Leaf(x)
```

```
  |Node(l,v,r) -> Node(mirror r,v, mirror l)
```

```
(* this function is supposed to count the number of nodes in a binary tree *)
```

```
(* it may or may not have a bug *)
```

```
let rec count tree = match tree with
```

```
  Leaf(x) -> 1
```

```
  |Node(l,v,r) -> count l + v
```

Below are descriptions of properties being tested and an attempted implementation of each property for the qcheck testing framework. For each property, indicate if the property is valid. If the property is valid, indicate if the property will catch the bugs in the above code **even if the function does not correctly represent the property**. If the property is invalid, put NA to catch bugs. Then indicate if the function provided correctly represents the property **not considering the bugs in the above code**.

(a) Property 1

[3 pts]

**Property:** Mirroring the tree should not result in the initial tree

**Property as a Function:** fun tree -> mirror tree <> tree

Valid property:  Y  N

Property would catch above bugs:  Y  N  na

Valid Property Function:  Y  N

(b) Property 2

[3 pts]

**Property:** Mirroring a tree should not change the number of nodes

**Property as a Function:** fun tree -> count (mirror tree) = count tree

Valid property:  Y  N

Property would catch above bugs:  Y  N  na

Valid Property Function:  Y  N

## Problem 7: Interpreters

[Total 6 pts]

Given the following CFG, and assuming the **Ocaml** type system and semantics, at what stage of language processing would each expression **fail**? Mark **'Valid'** if the expression would be accepted by the grammar and evaluate properly. Assume the only symbols allowed are those found in the grammar. Choose only one choice for each expression.

Grammar:

$$\begin{aligned} M &\rightarrow ME + \mid ME - \mid E \\ E &\rightarrow OE / \mid OE * \mid O \\ O &\rightarrow WO > \mid WO < \mid W \\ W &\rightarrow n \mid b \end{aligned}$$

**Note:**  $n \in \mathbb{Z}, b \in \{true, false\}$

The opsem for this grammar is given below:

OpSem:

$A; n \Rightarrow n$	$A; b \Rightarrow b$
$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 + v_2}{A; e_1 e_2+ \Rightarrow v_3}$	$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 - v_2}{A; e_1 e_2- \Rightarrow v_3}$
$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 / v_2}{A; e_1 e_2 / \Rightarrow v_3}$	$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 * v_2}{A; e_1 e_2 * \Rightarrow v_3}$
$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 > v_2}{A; e_1 e_2 > \Rightarrow v_3}$	$\frac{A; e_1 \Rightarrow v_1 \quad A; e_2 \Rightarrow v_2 \quad v_3 = v_1 < v_2}{A; e_1 e_2 < \Rightarrow v_3}$

	Lexer	Parser	Evaluator	Valid
1 3 * 5 * 6 +	(L)	(P)	(E)	(V)
true false not	(L)	(P)	(E)	(V)
+ 1 \ 3 4	(L)	(P)	(E)	(V)

## Problem 8: Operational Semantics

[Total 6 pts]

$$\frac{x \Rightarrow v_1 \quad y \Rightarrow v_2 \quad v_3 \text{ is } v_1 \&\&v_2}{x\&\&y \Rightarrow v_3}$$

If Ocaml uses the above opsem rule, what would the following Ocaml expression **print out**?

`(let _ = print_string "a" in false) && (let _ = print_string "b" in true)`

$$\frac{y \Rightarrow v_1 \quad x \Rightarrow v_2 \quad v_3 \text{ is } v_1 \&\&v_2}{x\&\&y \Rightarrow v_3}$$

If Ocaml instead uses the above opsem rule, what would the following Ocaml expression print out?

`(let _ = print_string "a" in false) && (let _ = print_string "b" in true)`

$$\frac{x \Rightarrow v_1 \quad y \Rightarrow v_2 \quad v_3 \text{ is } v_1 \&\&v_2}{x\&\&y \Rightarrow v_3}$$

If Ocaml instead uses the above opsem rule, what would the following Ocaml expression print out?

`(let _ = print_string "a" in true) && (let _ = print_string "b" in false)`



### Problem 9: Lambda Calculus

[Total 10 pts]

(a) Reduce

[6 pts]

Reduce the following lambda expression. Show every step.

$$((\lambda x. (\lambda y. y x)) y)(\lambda x. x b)$$

(b) Free Variables:

[2 pts]

Circle the free variables in the expression below:

$$(\lambda x. (\lambda x. x x) x) x (\lambda y. y f) a$$

(c) Alpha Equivalence:

[2 pts]

Which of the following are alpha equivalent to the expression above,  $(\lambda x. (\lambda x. x x) x) x (\lambda y. y f) a$ ? Select all that apply.

- (A)  $(\lambda x. (\lambda b. b b) b) x (\lambda w. w f) a$
- (B)  $(\lambda w. (\lambda b. b b) w) w (\lambda c. c f) a$
- (C)  $(\lambda y. (\lambda d. d d) y) x (a f)$
- (D)  $(\lambda w. (\lambda z. z z) w) x (\lambda y. y f) a$

## Problem 10: Ownership and Lifetimes

[Total 8 pts]

```
1 fn main(){
2   let x = 4;
3   let y = x;
4   println!("{x},{y}");
5 }
```

Does the code compile?  Yes  No

If **no**, explain why not in one sentence:

```
1 fn main(){
2   let x = String::from("Hello");
3   let y = &mut x;
4   println!("{y}");
5 }
```

Does the code compile?  Yes  No

If **no**, explain why not in one sentence:

```
1 fn main(){
2   let mut x = String::from("Hello");
3   let y = &mut x;
4   x.push_str(" world");
5   println!("{x},{y}");
6 }
```

Does the code compile?  Yes  No

If **no**, explain why not in one sentence:

```
1 fn function<'a>(s1:&'a String,
2                 s2:&'a String,
3                 f:bool)->usize{
4   if f {s1.len()} else{s2.len()}
5 }
6 fn main(){
7   let a = String::from("hello");
8   let b = a.clone();
9   let c = function(&b,&a,true);
10  println!("{a} has length {c}");
11 }
```

Does the code compile?  Yes  No

If **no**, explain why not in one sentence:

## Problem 11: Coding

[Total 18 pts]

(a) Flatten:

[8 pts]

Write a function that takes in a Tree and returns a linked list of the tree in pre-order. You may make helper functions.

```
type tree = TNode of tree * int * tree | Leaf of int
type llist = LNode of int * llist | Tail of int
```

```
(* ex: flatten TNode(TNode(TNode(Leaf, 2, Leaf), 5, Leaf), 3, TNode(Leaf, 4, Leaf))
      = LNode(3, LNode(5, LNode(2, LNode(4, Tail)))) *)
```

```
let rec flatten tree =
```

(b) Reachable:

[10 pts]

Given a graph and a starting node, return all the reachable nodes as a list (order does not matter). You may use the union function as set union (ex: union [1; 2; 3] [2; 3; 4] = [1; 2; 3; 4])

```
type node = string * int (* name of node and its value *)
type edge = node * node (* bidirectional graph *)
type graph = (node list) * (edge list)
```

```
(* ex: let nodes = [("a", 1), ("b", 2), ("c", 4), ("d", 3)] in
      let edges = [((("a", 1), ("b", 2))), ((("b", 2), ("d", 3))), ((("b", 2), ("c", 4)))] in
      reachable (nodes, edges) ("a", 1) = [("b", 2), ("c", 4), ("d", 3)] *)
```

```
let rec reachable g start =
```

**Problem 12: Extra Credit**

[Total 2 pts]

(a) Staff Stalking

[1 pts]

What is your discussion TA's name and what is your discussion number?

(b) Colon Parenthesis

[1 pts]

Write a poem!

# Cheat Sheet

## OCaml

```
(* Map and Fold *)
(* ('a -> 'b) -> 'a list -> 'b list *)
let rec map f l = match l with
  [] -> []
  | x::xs -> (f x)::(map f xs)

(* ('a -> 'b -> 'a) -> 'a -> 'b list -> 'a *)
let rec fold_left f a l = match l with
  [] -> a
  | x::xs -> fold_left f (f a x) xs

(* ('a -> 'b -> 'b) -> 'a list -> 'b -> 'b *)
let rec fold_right f l a = match l with
  [] -> a
  | x::xs -> f x (fold_right f xs a)
```

```
(* OCaml Function Types *)
:: -: 'a -> 'a list -> 'a list
```

```
@ -: 'a list -> 'a list -> 'a list
```

```
+, -, *, / -: int -> int -> int
+., -., *, /. -: float -> float -> float
```

```
&&, || -: bool -> bool -> bool
not -: bool -> bool
```

```
^ -: string -> string -> string
```

```
=>, >, =, <, <= :- 'a -> 'a -> bool
```

```
(* Regex in OCaml *)
```

```
Re.Posix.re: string -> regex
Re.compile: regex -> compiled_regex
```

```
Re.exec: compiled_regex -> string -> group
Re.exectp: compiled_regex -> string -> bool
Re.exec_opt: compiled_regex -> string -> group option
```

```
Re.matches: compiled_regex -> string -> string list
```

```
Re.Group.get: group -> int -> string
Re.Group.get_opt: group -> int -> string option
```

## Structure of Regex

```
R → ∅
   | σ
   | ε
   | RR
   | R|R
   | R*
```

## Regex

*	zero or more repetitions of the preceding character or group
+	one or more repetitions of the preceding character or group
?	zero or one repetitions of the preceding character or group
.	any character
$r_1 r_2$	$r_1$ or $r_2$ (eg. $a b$ means 'a' or 'b')
[abc]	match any character in abc
[ $\sim r_1$ ]	anything except $r_1$ (eg. [ $\sim abc$ ] is anything but an 'a', 'b', or 'c')
[ $r_1-r_2$ ]	range specification (eg. [a-z] means any letter in the ASCII range of a-z)
{n}	exactly n repetitions of the preceding character or group
{n,}	at least n repetitions of the preceding character or group
{m,n}	at least m and at most n repetitions of the preceding character or group
^	start of string
\$	end of string
( $r_1$ )	capture the pattern $r_1$ and store it somewhere (match group in Python)
\d	any digit, same as [0-9]
\s	any space character like \n, \t, \r, \f, or space

## NFA to DFA Algorithm (Subset Construction Algorithm)

NFA (input):  $(\Sigma, Q, q_0, F_n, \delta)$ , DFA (output):  $(\Sigma, R, r_0, F_d, \delta_n)$

```
 $R \leftarrow \{\}$ 
 $r_0 \leftarrow \epsilon - \text{closure}(\sigma, q_0)$ 
while  $\exists$  an unmarked state  $r \in R$  do
  mark  $r$ 
  for all  $a \in \Sigma$  do
     $E \leftarrow \text{move}(\sigma, r, a)$ 
     $e \leftarrow \epsilon - \text{closure}(\sigma, E)$ 
    if  $e \notin R$  then
       $R \leftarrow R \cup \{e\}$ 
    end if
     $\sigma_n \leftarrow \sigma_n \cup \{r, a, e\}$ 
  end for
end while
 $F_d \leftarrow \{r \mid \exists s \in r \text{ with } s \in F_n\}$ 
```

## Rust

```
// Vectors
let vec = Vec::new(); // makes a new vector
let vec1 = vec![1,2,3]

vec.push(ele); // Pushes the element 'ele'
                // to end of the vector 'vec'

// Strings
let string = String::from("Hello");

string.push_str(&str); // appends the str
                       // to string

vec.to_iter(); // returns an iterator for vec

string.chars() // returns an iterator of chars
               // over the a string
```

```
iter.rev(); // reverses an iterators direction

iter.next(); // returns an Option of the next
              // item in the iterator.

struct Building{ // example of struct
  name:String,
  floors:i32,
  locationx:f32,
  locationy:f32,
}

enum Option<T>{ Some(T); None } //enum Option type
option.unwrap(); // returns the item in an Option or
                 // panics if None
```